



優必克科技股份有限公司  
UBIQ Technology Co., Ltd.

330桃園市桃園區大業路一段18號6樓之1

6F.-1, No.18, Sec. 1, Daye Rd., Taoyuan Dist., Taoyuan City 330, Taiwan (R.O.C.)

電話Tel : 03-331-2677 e-mail: sales@ubiq.com.tw

傳真Fax : 03-335-7412 Website: www.ubiq.com.tw

## CR2032鈕扣型電池零組件(殼具4件組)

型號：CR2032-4P05

### 規格：

1. 組裝後直徑  $\varnothing 20\text{mm}$ \*高 $3.2\text{mm}$
2. 技術要求：組裝後不短路及不洩漏
3. 四件式：上蓋直徑  $\varnothing 19.3\text{mm}$ \*高 $2.86\text{mm}$   
下蓋直徑  $\varnothing 20.0\text{mm}$ \*高 $2.86\text{mm}$   
墊片直徑  $\varnothing 15.5\text{mm}$ \*高 $0.5\text{mm}$   
彈片直徑  $\varnothing 13.0\text{mm}$ \*高 $1.9\text{mm}$

(以上公差 $\pm 0.1\text{mm}$ )



**CR2032四件式  
組裝示意圖**




**Upper Cap  
(Negative Case )**



**Spring  
Washer**



**Spacer**



**Anode/Lithium  
Separator  
Cathode**



**Bottom Case  
(Positive Case)**



優必克科技股份有限公司  
UBIQ Technology Co., Ltd.

330桃園市桃園區大業路一段18號6樓之1

6F.-1, No.18, Sec. 1, Daye Rd., Taoyuan Dist., Taoyuan City 330, Taiwan (R.O.C.)

電話Tel : 03-331-2677 e-mail: sales@ubiq.com.tw

傳真Fax : 03-335-7412 Website: www.ubiq.com.tw

## CR2032 Coin Cell Case Set

### Model : CR2032-4P05



- **Specifications:**

1. Dimensions (Dia x Height) : **Ø20mm\*3.2mm**

2. After perfectly crimping, No leakage & No short circuit

**3.4Parts :**

Upper Cap : **Ø19.3mm\*Height 2.86mm**

Bottom Case : **Ø15.5mm\*Height 0.4mm**

Spacer : **Ø15.5mm\*Height 0.5mm**

Spring washer : **Ø13.0mm\*Height 1.9mm**

(Tolerance**±0.1mm**)

**CR2032 coin cell case  
set assembly diagram**




**Upper Cap  
(Negative Case )**



**Spring  
Washer**



**Spacer**



**Anode/Lithium  
Separator  
Cathode**



**Bottom Case  
(Positive Case)**